

Structural Drawing


Compliance: RohS III(2015/863/EU)

Tolerances: .X: ± 0.5 mm .XX: ± 0.35 mm .XXX: ± 0.25 mm	Date	Name	<h1>YFT KNI 4BI1 19</h1>
	10/20	dr	
Modifications	Date	Name	

knitter-switch

30 45 08

Page
1/3




PIN OUT
 Pin1:S1
 Pin2:S2
 Pin3:Common
 Pin4:S4
 Pin5:S3

Maximum Loop Resistance <100 ohm

Compliance: RohS III(2015/863/EU)

Tolerances: .X: ±0.5 mm .XX: ±0.35 mm .XXX: ±0.25 mm		Date 10/20	Name dr	YFT KNI 4BI1 19
		knitter-switch		30 45 08
				Page 2/3
Modifications	Date	Name		



- Black C
- 4X Clear Window (Matte)
- Emboss Area

Black Area is Matte
(Nature of Autotype F150XE)

Compliance: RohS III(2015/863/EU)

Tolerances: .X: ±0.5 mm .XX: ±0.35 mm .XXX: ±0.25 mm			Date	Name	<h1>YFT KNI 4BI1 19</h1>
			10/20	dr	
			knitter-switch		<h2>30 45 08</h2>
Modifications			Date	Name	Page 3/3